










AUTOMATIC ESPRESSO

HIGH OUTPUT, LONG LIFE & SILENCE... FRESH GROUND COFFEE

The automatic coffee grinder # 55 dispenses the precise dose of coffee for I or 2 espressos, directly into the filter

holder. Ideal appliance for bars, hotels, restaurants, and coffee shops, it stands beside the traditional 1, 2, or 3 groups espresso machine. Just select "1 coffee" or "2 coffees" and present the filter holder for an automatic and instant distribution of ground coffee. The automatic coffee grinder # 55 guarantees a fresh ground coffee with all its flavours.



COFFEE GRINDERS: SANTOS KNOW-HOW

Santos, 60 years experience

- Since 1954, we manufacture our own grinding discs for better results
- Santos is the leader in "Silent" coffee grinders
- Constant and fine grinding, constant portion dispensed
- No "burn coffee" effect while grinding, no electrostatic coffee phenomenon
- Easy to adjust (grinding and dosing) and to maintain (changing the grinding discs is very easy)



COFFEE GRINDER #55

QUALITY COFFEE GRINDER



www.santos.fr

Powerful and reliable

- Powerful asynchronous motor for intensive use, very silent
- 5-YEAR WARRANTY
- Sturdy product with aluminium body

Control Panel

distribution of fresh ground coffee.

• Very efficient and quick: one dose of coffee dispensed in less than I second

Quality grinding

(2.6g to 20g).

- Fresh ground coffee: no dispenser, coffee beans are ground on demand and dispensed directly into the filter holder.
- Santos manufactures its own grinding discs to give you **a perfect** grinding, constant and fine.

Thanks to the settings buttons - and +, you can adjust the timer for each dose

Select the dose (I or 2 coffees) and present the filter holder for an automatic

You can visualize the number of doses dispensed on the digit counter (total

Easy to use

- **3 tampers** (Ø 53 mm, Ø 55 mm, Ø 57 mm) are delivered with the product , for all sizes of filter holders.
- Fully automatic: the exact dose of coffee is automatically dispensed when the filter holder is detected.
- **Simply adjust** the grinding and dosing, and visualize the number of doses distributed thanks to the counter.



TECHNICAL SPECIFICATIONS

counter and partial counter). You can reset the partial counter.



Motor

Single phase: 100-120 V - 50/60 Hz - 800 W - CE, UL 220-240 V - 50/60 Hz - 1100 W - CE, KC

Speed: 2 800 rpm (50 Hz) 3 500 rpm (60 Hz)



Weight

Net: 15 Kg (33 lbs) Shipping: 17 Kg (37 lbs)



APPLIANCE D: 397 mm (16") W: 198 mm (8") H: 577 mm (23")



SHIPPING BOX D: 450 mm (18") W: 245 mm (10") H: 660 mm (26")

SAFETY, STANDARDS, HYGIENE

In accordance with the following regulations

Machinery directive 2006/42/EC Electromagnetic compatibility 2004/108/EC "Low voltage" Directive 2006/95/EC Regulation 1935/2004/EC (contact with food) RoHS directive 2002/95/EC

Harmonized European Standards:

EN ISO 12100 - 1 and 2:2004 EN 60204-1:2006 EN 60335-2-64:2004 Commercial eletrical kitchen machines

CE (European standards), UL (USA) and cUL (Canada), KC (Korea)

Electrical Safety

- \bullet On/Off interlock switch is waterproof
- All mechanical parts are ground connected
- Applainces are 100% tested after assembly

Thermal Safety

Motor protected by internal thermal detector

Acoustic Safety

Very silent and powerful asynchronous motor


Hygiene

All removable parts can be put in a dishwasher or easily cleaned with hot soapy water.



AUTOMATIC ESPRESSO COFFEE GRINDER #55

www.santos.fr



SANTOS 140-150, avenue Roger Salengro BP 80 067 – 69511 Vaulx-en-Velin Cedex (Lyon) FRANCE - Tel. +33 4 72 37 35 29 - Fax. +33 4 78 26 58 21 Website : www.santos.fr – Email : santos@santos.fr